

---

**Jump to page**

[TOC](#) [1-25](#) [26-29](#) [30-50](#) [51-63](#) [64-82](#) [83-160](#) [161-75](#) [176-218](#) [221-49](#) [251-53](#) [254-67](#) [268-302](#) [303-13](#)  
[314-36](#) [337-69](#) [371-87](#) [388-418](#) [421-53](#) [454-66](#) [468-531](#) [532-78](#) [579-652](#) [653-60](#) [662-95](#) [697-732](#)

---

# Index

## A

Access database  
  port to MySQL, 257  
ACID, 653  
Administrative tools  
  command line utilities  
    load emulator, 451  
  command-line utilities, 421  
  mysql2mysql, 429  
  my\_print\_defaults, 451  
  myisamchk, 422  
  myisampack, 448  
  mysql\_install\_db, 447  
  mysqlaccess, 429  
  mysqladmin, 430  
  mysqlbinlog, 432  
  mysqlbug, 434  
  mysqlcheck, 426  
  mysqldump, 436  
  mysqlhotcopy, 441  
  mysqlimport, 434  
  mysqlmanager, 443  
  mysqlshow, 446  
  mysqlshutdown, 434  
  mysqlslap, 451  
  mysqlwatch, 451  
  option files, 422  
  perror, 452  
  replace, 448  
  GUI tools  
    MySQLAdministrator, 452  
    phpAdmin, 453  
Apache  
  configuring PHP for Windows, 273  
  installing  
    under Linux, 269  
    under Windows, 270  
  preparing for PHP in Windows, 271  
Apache and PHP  
  configuring for Linux, 269  
Application life cycle, 388  
ARCHIVE storage engine, 161  
AUTO\_INCREMENT, 98

## B

Backup, 416  
  BACKUP TABLE, 114  
  InnoDB databases and tables, 168  
  mysqldump, 436, 441

  stored routines, 436  
  BDB tables, 161  
  BLACKHOLE storage engine, 162

## C

C API  
  C compilers, 371  
  data types, 372  
    MYSQL, 372  
    MYSQL\_FIELD, 373  
    MYSQL\_RES, 373  
    MYSQL\_ROW, 374  
  functions, 374  
  sample program, 374  
CALL, 208  
Character sets and collations, 34, 666  
Codd, EF  
  relational theory, 8  
Coercibility, 35  
Columns  
  maximum no. of, 96  
Configuration, 32  
  dedicated servers, 390  
  multiple servers  
    Linux, 39  
    Windows, 44  
MySQL  
  for Linux, 391  
  for Windows, 392  
MySQL server, 32, 393  
  InnoDB, 47  
  InnoDB, 166, 397  
MySQLInstanceConfig.exe, 41  
reliability, 400  
security, 458  
sql\_mode, 690  
symbolic links, 412  
system variables, 32, 662  
the disk and file system, 392  
Connections and Sessions, 90  
Connector/C++, 387  
Connector/J, 318  
Connector/NET 1, 350  
Connector/NET 5  
  cached query, 614  
  connection, 585  
  DataAdapter, DataSet, 596  
  database list, 596  
  default row values, 631  
  information\_schema, 612

- just-in-time lookup, 622
- LIMIT query, 614
- login, 590
- paging, 600
- table list, 598
- updates, 604
- Connector/ODBC, 49, 255
- CPU cache memory, 391
- CSV storage engine, 162

## D

- Data Types
  - SQL, MySQL, 51
- Database
  - change tracking, 16
  - derived values, 15
  - normalisation, 17
  - nulls, 15
  - practical design rules, 14
  - relations, 7
  - relationships, 79
  - server, 17
  - sets, 2
  - what is it, 1
- Database Administration, 388
  - crash recovery
    - using slave logic, 418
  - disaster planning, 416
  - manual backups, 418
  - reliability, 400
  - speed and size, 398
  - symbolic links, 412
- DataGridView
  - caching for, 582
  - CellBeginEdit, 606
  - custom cell editor, 606
  - delete row, 633
  - event handlers, 618
  - find value in, 607
  - insert new row, 631
  - insert row copy, 633
- DateTime
  - formats, 60
- DBFs
  - importing from, 156
- Default values
  - and CREATE TABLE, 97
- Distributed databases, 413
- dotNet, 337
  - architecture, 339, 350

## E

- Event Scheduler, 111

## F

- FALCON storage engine, 162
- FEDERATED storage engine, 163
- Floats and rounding, 239
- FOREIGN KEY, 99
- FULLTEXT, 99

## G

- Getting started, 47
- Graphs
  - edge list, 472
  - tree, 474
- models, 469
- nested sets model
  - non-tree, 505
  - tree, 490
- parts explosion, 517

## H

- HANDLER, 149
- Hungarian notation, 587

## I

- IDEs
  - Eclipse, 319
  - NetBeans, 319
  - Visual Studio, 341
  - Visual Studio 2005, 579
- Index speed and size, 399
- INDEX|KEY, 99
- INFORMATION\_SCHEMA, 128
  - structure, 695
- InnoDB storage engine, 166
  - cautions, tips and restrictions, 171
  - Configuring, 166
  - Deviations from SQL standard, 171
  - multiversioning, 170
  - next-key locking, 170
  - Optimising, 246
  - plugin, 47, 169, 673
  - row\_format, 169
  - SQL statements and locks, 170
  - tablespace,logs,backups, 167
  - transactions, 169
- INNODB storage engine
  - tracking tables, 725
- Installation
  - Configuring, 32
  - Linux
    - binary, 37
    - source, 38
    - Ubuntu, 37
  - Linux,second server, 39
  - option files, 33
  - setup and testing, 45
  - Update privilege tables, 46
  - Windows
    - binary, 40
    - service, 43
    - source, 45
  - Windows,second server, 44
- ISAM tables, 165

## J

- Java
  - application models, 314

- architectures, 315
- compiling and running, 322
- Connector/J, 318
- download and install, 316
- IDEs, 319
- JDBC
  - Class.forName, 321
  - getConnection, 322
  - java.sql.driver, 320
  - models, 319
  - PreparedStatement, 326
  - queries, Statement, ResultSet, 322
  - transactional atomicity, 326
- MySQL
  - connect from a JSP, 328
  - connection pooling, 330
  - javax.sql.DataSource, 334
  - server-side access, 327
  - pieces of the puzzle, 316
  - Scrollable data-driven controls, 335
  - taglibs, 332
  - Tomcat, 317

**M**

- many-many relationships, 79
- MARIA storage engine, 164
- MEMORY(HEAP) tables, 165
- MERGE (MrgISAM) storage engine, 166
- Microsoft .NET, 337
  - and MySQL, 340
  - architecture, 339
  - ASP.NET, 355
    - connect via Connector/J, 360
    - connect via MySQLDirect, 358
    - datagrids, 361
    - Web Matrix, 357
  - compare with Apache/PHP, 338
  - MySQL
    - connect via ODBC, 341
    - direct provider, master-detail window, 351, 353
    - native providers, 350
  - ODBC.NET, 343
    - classes, 347
    - master-detail window, 348
- Migration toolkit, 49, 257
- Modelling tools, 66
- Multiple servers
  - Linux/UNIX, 39
  - Windows, 44
- my\_print\_defaults, 451
- MyISAM tables, 165
- MyODBC, 254
  - Access
    - named queries, 266
  - importing Access db, 257
    - script, 258
  - in Windows, 255
  - installation, 49
- MySQL
  - APIs
    - C, 371
    - Java, 314
    - Microsoft .NET, 337
    - Perl, 303
    - PHP, 252
  - bugs, 46
    - stored routines, 203
  - client program, 35
  - comments, 87
  - Comparisons with other RDBMSs, 161
  - compiling, 393
  - connections, 396
  - downloads
    - current, 32
    - previous, 32
  - grant tables, 454
  - identifier names, 87
  - licence, 28
  - logs, 393
    - binary, 394
    - error, 394
    - query, 395
    - slow query, 395
  - memory use, 395
  - MySQL installation, 30
  - operator precedence, 89
  - operators, 87
  - other variations from SQL92, 86
  - overview, 29
  - Reserved words, 87
  - server ptions, 396
- MySQL APIs
  - .NET, 252
  - C, 253
  - C++, 387
  - choosing, 253
  - Java, 252
  - ODBC, 252
  - Perl, 252
  - PHP, 268
- MySQL commands
  - \_rowID, 98
  - ALTER DATABASE, 94
  - ALTER TABLE, 105
  - ANALYZE TABLE, 113
  - BACKUP DATABASE, 114
  - BACKUP TABLE, 114
  - BEGIN, 158
  - CACHE INDEX, 115
  - CHANGE MASTER TO, 131
  - CHECK TABLE, 115
  - COMMIT, 158
  - CREATE | ALTER | DROP EVENT, 111
  - CREATE | ALTER | DROP SERVER, 95
  - CREATE | ALTER LOGFILE GROUP, 108
  - CREATE | ALTER TABLESPACE, 107
  - CREATE | DROP TRIGGER, 110
  - CREATE DATABASE, 94
  - CREATE INDEX, 108
  - CREATE TABLE, 95
    - table options, 101
  - CREATE TABLE ... FROM ..., 105
  - CREATE TABLESPACE, 107

- CREATE|DROP FUNCTION, 109
- CREATE|DROP VIEW, 109
- database administration, 113
- DDL, 94
- DELETE, 152
- DESCRIBE, 116
- DML, 134
- DO, 157
- DROP DATABASE, 95
- DROP INDEX, 108
- DROP TABLE, 107
- DROP USER, 123
- dropping constraints, 106
- EXPLAIN, 147
- FLUSH, 116
- GRANT, 116, 119
- INSERT, 150
  - unexpected results, 151
- INSERT ... SELECT, 151
- INSERT ... SET, 151
- INSERT ... VALUES, 150
- INSTALL PLUGIN, 218
- KILL, 123
- LOAD DATA FROM MASTER, 132
- LOAD DATA INFILE, 154
  - FIELDS, 155
  - LINES, 156
  - options, 155
- LOAD INDEX, 115
- LOAD TABLE FROM MASTER, 132
- LOAD XML, 157
- LOCK|UNLOCK TABLES, 160
- OPTIMIZE TABLE, 124
- PURGE BACKUP LOGS, 114
- PURGE BINARY|MASTER LOGS, 132
- RENAME DATABASE, 94
- RENAME TABLE, 107
- REPAIR TABLE, 124
- REPLACE, 154
- replication, 130
- RESET, 124
- RESET MASTER, 133
- RESET SLAVE, 133
- RESTORE, 114
- RESTORE TABLE, 125
- REVOKE, 116, 123
- ROLLBACK, 158
- SELECT, 134
  - aggregate functions, 146
  - FROM, 138
  - RIGHT JOIN, 141
- SET, 92
- SHOW, 125
  - replication, 134
- START SLAVE, 133
- STOP SLAVE, 133
- TRUNCATE, 153
- UPDATE, 152
- USE, 92
- MySQL data types
  - and indexes, 62
  - and referential integrity, 63

- bit values, 150
- BLOB and Text, 54
- char and binary, 52
- column type modifiers, 52
- date, 59
- datetime, 58, 59
- ENUM and Set, 54
- money, 57
- NULL, 62
- numeric, 56
- timestamp, 59, 60
- using AUTO\_INCREMENT, 58
- MySQL Proxy, 50, 421
- MySQL Query Browser, 49
- MySQL system variables
  - scalar, 662
  - structured, 693
- MySQL version, 30
- MySQLAdministrator, 49
- MySQLDirect, 351
- MySQLInstanceConfig.exe, 41
- mysqslap, 451

## N

- Native procedures and functions, 177
  - Aggregate functions, 178
    - AVG(), 178
    - BIT\_AND(), 178
    - BIT\_OR(), 178
    - COUNT(\*), 178
    - COUNT(expr), 179
    - GROUP\_CONCAT(), 179
    - MAX(), 179
    - MIN(), 179
    - STDDEV(), 179
    - SUM(), 180
    - VARIANCE(), 180
  - Control flow functions
    - CASE WHEN, 177
    - IF(), 177
    - IFNULL(), 178
    - NULLIF(), 178
  - Data type functions
    - CAST(), 194
    - COALESCE(), 194
    - CONVERT(), 194
    - ISNULL(), 194
    - PROCEDURE ANALYSE(), 194
  - Datetime functions
    - ADDDATE(), 188, 189
    - CONVERT\_TZ(), 189
    - CURDATE(), 189
    - CURRENT\_TIME(), 189
    - CURRENT\_TIMESTAMP(), 189
    - CURTIME(), 189
    - DATE(), 189
    - DATE\_ADD(), 189
    - DATE\_FORMAT(), 189
    - DATE\_SUB(), 190
    - DATEDIFF(), 189
    - DAYNAME(), 190

DAYOFMONTH(), 190  
 DAYOFWEEK(), 190  
 DAYOFYEAR(), 191  
 EXTRACT(), 191  
 FROM\_DAYS(), 191  
 FROM\_UNIXTIME(), 191  
 GET\_FORMAT(), 191  
 HOUR(), 191  
 LAST\_DAY(), 191  
 MAKEDATE(), 191  
 MAKETIME(), 191  
 MICROSECOND(), 191  
 MINUTE(), 191  
 MONTH(), 191  
 MONTHNAME(), 191  
 PERIOD\_ADD(), 192  
 PERIOD\_DIFF(), 192  
 QUARTER(), 192  
 SEC\_TO\_TIME(), 192  
 SECOND(), 192  
 STR\_TO\_DATE(), 192  
 SUBDATE(), 192  
 SUBTIME(), 192  
 TIME(), 192  
 TIME\_FORMAT(), 193  
 TIME\_TO\_SEC(), 193  
 TIMEDIFF(), 192  
 TIMESTAMP(), 192  
 TIMESTAMPADD(), 192  
 TIMESTAMPDIF(), 193  
 TO\_DAYS(), 193  
 TO\_SECONDS(), 193  
 UNIX\_TIMESTAMP(), 193  
 UTC\_DATE(), 193  
 UTC\_TIME(), 193  
 UTC\_TIMESTAMP(), 193  
 WEEK(), 193  
 WEEKDAY(), 194  
 YEAR(), 194  
 YEARWEEK(), 194  
 En/decoding functions  
 AES\_DECRYPT(), 194  
 AES\_ENCRYPT(), 194  
 DECODE(), 194  
 DES\_ENCRYPT(), 195  
 ENCODE(), 195  
 ENCRYPT(), 195  
 MD5(), 195  
 PASSWORD(), 195  
 SHA(), 195  
 Miscellaneous functions  
 BENCHMARK(), 202  
 DEFAULT(), 202  
 INET\_ATON(), 202  
 INET\_NTOA(), 202  
 NAME\_CONST(), 202  
 VERSION(), 202  
 Numeric functions  
 ABS(), 180  
 ACOS(), 180  
 ASIN(), 180  
 ATAN(), 180  
 ATAN2(), 180  
 BIT\_COUNT(), 182  
 CEIL|CEILING(), 180  
 COS(), 180  
 COT(), 180  
 CRC32(), 180  
 DEGREES(), 180  
 EXP(), 181  
 FLOOR(), 181  
 GREATEST(), 181  
 INTERVAL(), 181  
 LEAST(), 181  
 LN(), 181  
 LOG(), 181  
 LOG10(), 181  
 LOG2(), 181  
 MOD(), 181  
 PI(), 181  
 POW|POWER(), 181  
 RADIANS(), 181  
 RAND(), 182  
 ROUND(), 182  
 SIGN(), 182  
 SIN(), 182  
 SQRT(), 182  
 TAN(), 182  
 TRUNCATE(), 182  
 OpenGIS functions, 198  
 for comparing geometry values, 199  
 for spatial relations, 201  
 for WKB values, 199  
 for WKT values, 198  
 GeometryCollection, 201  
 LineString, 200  
 MultiLineString, 200  
 MultiPolygon, 201  
 Point, 200  
 Session functions  
 CONNECTION\_ID(), 197  
 DATABASE(), 197  
 FOUND\_ROWS(), 197  
 GET\_LOCK(), 197  
 IS\_FREE\_LOCK(), 197  
 IS\_USED\_LOCK(), 197  
 LAST\_INSERT\_ID(), 197  
 MASTER\_POS\_WAIT(), 197  
 RELEASE\_LOCK(), 198  
 ROW\_COUNT(), 198  
 SESSION\_USER(), 198  
 SLEEP, 198  
 SYSTEM\_USER(), 198  
 USER(), 198  
 UUID(), 202  
 String functions  
 ASCII(), 182  
 BIN(), 183  
 BIT\_LENGTH(), 183  
 CHAR(), 183  
 CHAR\_LENGTH|(), 183  
 CHARACTER\_LENGTH|(), 183  
 COERCIBILITY(), 183  
 COLLATION(), 183

COMPRESS(), 183  
 CONCAT(), 183  
 CONCAT\_WS(), 183  
 CONV(), 183  
 ELT(), 184  
 EXPORT\_SET(), 184  
 FIELD(), 184  
 FIND\_IN\_SET(), 184  
 FORMAT(), 184  
 HEX(), 184  
 INSERT(), 184  
 INSTR(), 184  
 LCASE|LOWER(), 184  
 LEFT(), 184  
 LENGTH(), 185  
 LENGTH|(), 183  
 LIKE...ESCAPE, 185  
 LOAD\_FILE(), 185  
 LOCATE(), 185  
 LPAD(), 185  
 LTRIM(), 185  
 MAKE\_SET(), 185  
 MATCH(), 185  
 MID(), 186  
 OCT(), 186  
 OCTET\_LENGTH(), 185  
 OCTET\_LENGTH|(), 183  
 ORD(), 186  
 POSITION(), 186  
 QUOTE(), 186  
 REGEXP, 187  
 REPEAT(), 187  
 REPLACE(), 187  
 REVERSE(), 187  
 RIGHT(), 187  
 RPAD, 187  
 RTRIM(), 187  
 SOUNDEX(), 187  
 SPACE(), 187  
 STRCMP(), 187  
 SUBSTRING(), 187  
 SUBSTRING\_INDEX(), 187  
 TRIM(), 188  
 UCASE|UPPER(), 188  
 UNCOMPRESSED\_LENGTH(), 188  
 UNHEX(), 188  
 XML functions, 195  
   ExtractValue(), 196  
   UpdateXML(), 196  
 NDB CLUSTER storage engine, 173  
 Normalisation, 17  
   1NF, 18  
   2NF, 18  
   3NF, 20  
   4NF, 21  
   5NF, 22  
   BCNF, 21  
 NULL, 10, 15, 62  
 Number of rows  
   affected by statement, 198  
   retrieved by query, 178, 197

## O

ODBC, 254  
   architecture, 254  
 OLTP and OLAP, 414  
 OpenGIS  
   column types, 60  
   functions, 198  
   values  
     INSERTing, 151  
     UPDATE, 152  
 Operating systems, 30  
 Operators  
   LIKE, 89  
   REGEXP|RLIKE, 89  
   row constructor, 90

## P

Partitioning, 174  
   syntax, 103  
 PBXT storage engine, 175  
 PERFORMANCE\_SCHEMA storage engine, 49, 174  
 Perl, 303  
   and CGI, 304  
   DBI, 305  
     connect, 306  
     desirable refinements, 311  
     INSERT,UPDATE,DELETE, 309  
     queries, 306  
     statement metadata, 312  
     statement placeholders, 310  
   installation, 303  
   web deployment, 305  
   Web scripts, 308  
 PHP  
   array functions, 279  
   arrays, 278  
   basics, 275  
   installing  
     under Windows, 272  
   installing under Linux, 269  
   laying out projects, 288  
   MySQL functions, 281  
   persistent connections, 283  
   small project, 288  
     desirable refinements, 295  
   small test webapp, 283  
   states and sessions, 284  
   string functions, 276  
   tags, 281  
   *theUsual*, 298  
   phpMyAdmin, 275  
 Plugins, 218  
 Point-in-time architecture, 567  
 PRIMARY KEY, 98  
 Privilege types, 118

## Q

Queries. *See* SELECT  
   aggregate functions, 146  
   aggregates and WHERE, 245

- atomic, 221
- common, 238
- components, 134
- CROSS JOIN, 139, 225
- design, 221
- emulation of FULL OUTER JOIN, 143
- equi-joins, 143
- EXPLAIN, 147
- Floats and rounding, 239
- formatting, 225
- FROM clause, 225
- GROUP BY, 146, 237
- HAVING, 146
- Indexing hints, 138
- INNER JOIN, 228, 229
- JOIN conditions vs WHERE conditions, 231
- JOINS, 138
- last\_query\_cost, 240
- LIMIT, 147
- limits, 134
- many-many relationships, 237
- molecular
  - and relational algebra, 223
- molecular queries, 223
- multiple JOINS, 229
- NATURAL JOIN, 143
- negative JOINS, 230
- optimising, 240
  - EXPLAIN, 242
  - index caches, 245
  - ORDER BY, 244
- ORDER BY, 145
- OUTER JOIN, 140, 226
- pivot tables, 238
- practical, 225
- query\_cache, 248
- row value constructors, 144
- scoping comparisons, 145
- simplifying, 235
- STRAIGHT\_JOIN, 225
- subqueries, 134
  - correlated, 145
  - in FROM clause, 230
  - in WHERE clause, 233
- UNION, 149
- WHERE clause, 144, 231
- Query profiler, 248

## R

- RAID, 411
- Raw disk partitions, 390
- Relations
  - Codd, EF, 8
  - Codd's 12 rules, 8
  - defined, 7
  - limitations of model, 23
  - sets, 7
- Relationships, 79
- Replication, 401
  - and server version, 402
  - and stored routines, 206

- BLACKHOLE storage engine, 162
- circular, 411
- holding back the master, 408
- restarting the slave, 408
- row-based, 411
- semisynchronous, 410
- setup steps, 404
- Slave\_IO messages, 406
- taking a snapshot, 403
- Reports
  - optimising, 250
- Requirements modelling, 64
  - steps, 65
  - testing the model, 81
  - tracker database model, 80
- Row constructor, 90

## S

- SAVEPOINT, 159
- Security
  - access roles, 465
  - authenticating connections, 460
  - authenticating database requests, 463
  - configuring, 458
  - DROP USER, 123
  - GRANT TABLES, 456
  - GRANT, REVOKE, 116, 454
  - KILL, 123
  - privilege types, 117
  - REVOKE, 123
  - SHOW GRANTS, SHOW PRIVILEGES, 125
  - user accounts, 458
- SELECT, 134. *See* Queries
  - aggregate functions, 146
  - components, 134
  - correlated subqueries, 145
  - CROSS JOIN, 139
  - emulation of FULL OUTER JOIN, 143
  - equi-joins, 143
  - EXPLAIN, 147
  - expression, 137
  - FOR UPDATE, 147
  - GROUP BY, 146
  - HAVING, 146
  - Indexing hints, 138
  - INNER JOIN, 140
  - INTO, 137
  - JOINS, 138
    - daisy-chained, 142
  - LEFT JOIN, 141
  - LIMIT, 147
  - limits, 134
  - NATURAL JOIN, 143
  - ORDER BY, 145
  - OUTER JOIN, 140
  - qualifiers, 136
    - HIGH\_PRIORITY, 136
    - SQL\_CACHE, 136
    - SQL\_CALC\_FOUND\_ROWS, 136
    - STRAIGHT\_JOIN, 136
  - row value constructors, 144

- scoping comparisons, 145
- subqueries, 134
- UNION, 149
- WHERE, 144
- SERIAL, 98
- Server upgrades, 38, 46
  - and grants tables, 46
  - under Windows, 42
- Sets
  - and databases, 2
  - operations, 7
  - relations, 7
  - theory, 5
- SHOW
  - INDEX, 127
  - STATUS, 726, 727
  - TABLE STATUS, 127
- SHOW ENGINES, 161
- Silent column specification changes, 53, 98
- SQL
  - data control language, 85
  - data definition language, 85
  - data manipulation language, 85
  - data types, 51
  - MySQL variant of, 85
  - statements, 84
- SQL injection, 250, 297
- SQL\_CALC\_FOUND\_ROWS, 136
- SQLSTATE, 210
- Storage engines
  - and installation packages, 32
  - ARCHIVE, 161
  - BDB, 161
  - BLACKHOLE, 162
  - CSV, 162
  - FALCON, 162
  - FEDERATED, 163
  - InnoDB, 47, 166
  - ISAM, 165
  - MARIA, 164
  - MEMORY (HEAP), 165
  - MERGE, 166
  - MyISAM, 165
  - NDB CLUSTER, 173
  - PBXT, 175
  - performance comparisons, 175
  - PERFORMANCE\_SCHEMA, 49, 174
- Stored procedures and functions
  - and replication, 206
  - backup, 436
  - bugs, 203
  - enable calling, 296, 376
  - naming conventions, 204
  - overview, 203
  - privileges, 206
  - Syntax
    - ALTER PROCEDURE|FUNCTION, 207
    - BEGIN...END, 209
    - CALL, 208
    - CASE...WHEN...END CASE, 215
    - Control constructs, 214
    - CREATE FUNCTION, 206
    - CREATE PROCEDURE, 204
    - Cursors, 213
    - DELIMITER, 208
    - DROP PROCEDURE|FUNCTION, 207
    - Error conditions and handlers, 210
    - IF...THEN...END IF, 215
    - ITERATE|LEAVE, 218
    - LOOP...END LOOP, 217
    - REPEAT...UNTIL...END REPEAT, 216
    - SELECT INTO, 209
    - SHOW CREATE PROCEDURE|FUNCTION, 207
    - SHOW PROCEDURE|FUNCTION STATUS, 207
    - SIGNAL, 211
    - Variables, 209
    - WHILE...DO...END WHILE, 217
      - what is not allowed, 206
- Stored procedures and Functions
  - Syntax
    - RESIGNAL, 213
- Structured Query Language. *See* SQL
- Subqueries, 134, 225
- System variables
  - scalar, 662
  - structured, 693

## T

- Tables
  - relationships, 79
  - size limits, 102
- Temporary tables, 96
- TheUsual
  - class layout, 582
  - DataGridView
    - find in, 607
  - for MySQL & Visual Studio, 579
  - for MySQL and PHP, 268
  - for SQL Server, 639
- TheUsual for MySQL
  - methods
    - btnOK\_click, 590
    - databases, 596
- TheUsual for MySQL & Visual Studio
  - methods
    - TableRows, 588
- TheUsual for MySQL & Visual Studio
  - classes, 583
    - TheUsualConnection, 586
  - methods
    - ColumnType, 589
    - ExecuteNonQuery, 589
    - for queries, 614
    - for query columns, 612
    - for text columns, 613
    - IdName, 588
    - MustQuoteValue, 589
    - QueryResult, 597
    - ScalarQueryResult, 588
    - TableColumnCount, 589
- Thread pooling, 92

Time

- Basic Concepts, 533
- bitemporal tables, 567
  - modifying, 569
  - queries, 576
- direct TTV, 565
- modifying state tables, 553
- MySQL Limitations, 533
- partitioning, 552
- queries, 544
- referential integrity, 540
- Row duplication, 536
- sequenced temporal modifications, 556
- Test schemas, 534
- tracking logs, 561
- transaction time validity, 561, 564
- time validity, 539
- Time zones, 47
- Timestamp
  - and CREATE TABLE, 97
- TimeStamp, 59, 60
- Tomcat, 317
- Transactions
  - isolation level, 159
  - syntax, 158
  - XA, 160
- Triggers, 110

**U**

Updates

- optimising, 249

User variable, 92

**V**

Visual Studio

- and SQL Server, 639
- BindingSource
  - AddNew, 632
- buttons, 604
- C#
  - data types, 589, 615
  - get/set syntax, 595
- ComboBox, 596, 598
- context menu, 630
- create a project, 583
- DataGridView
  - add tooltips, 611
  - cache class, 625
  - context menu, 630
  - DataRetriever class, 623
  - just-in-time, 622
  - paging, 600
  - set cursor, 628
  - Tag, 631
- DataGridView.Sorted, 619
- DataRelation, 622
- error message method, 611
- ListView, 635
  - dynamic width, 636
- login form, 590
- partial class, 582
- registry read, write, 593
- tags, 620
- TextEditor class, 605
- TheUsual
  - events, 639
  - install and run, 650
- toolstrip, 600
- tooltips, 611

**W**

Web Matrix, 357

**X**

XAMPP, 269

**Z**

ZEROFILL, 97

---

**Jump to page**

[TOC](#)
[1-25](#)
[26-29](#)
[30-50](#)
[51-63](#)
[64-82](#)
[83-160](#)
[161-75](#)
[176-218](#)
[221-49](#)
[251-53](#)
[254-67](#)
[268-302](#)
[303-13](#)  
[314-36](#)
[337-69](#)
[371-87](#)
[388-418](#)
[421-53](#)
[454-66](#)
[468-531](#)
[532-78](#)
[579-652](#)
[653-60](#)
[662-95](#)
[697-732](#)

---